

MARCH 2016 LEVEE SUPERINTENDENT JOE BRYSON 1608

1. Levee patrol, started pump four times. Cleaned well and surrounding area.
2. Mr. Malik, 3821 Falmouth, backyard is a mess.
3. Mr. and Mrs. Emmanuel Taylor, 3831 Fort Donaldson.
4. I met with Caltrans three times regarding rocks near I-5. Rick Toy, KSN, came out to I-5 and East Plymouth. What are we going to do about fence?
5. They cut fences on both East and West side of Plymouth, disconnected bolts at gate. Swain and storage gate.
6. Calls regarding Stockton Record article Levee 55 Word Winner.
7. Stockton Record article, Fire Causes Wilson Way Homeless. Police ran off homeless under I-5 on the other side of Fourteen Mile Slough. They keep coming over to our side.
8. Calls from Mrs. Moran, fishermen walking on levee, Seagull. They walk around at low tide, Grupe Park. Will repair it so they can't.
9. Collected three trash cans of garbage dumped off at Plymouth West gate.
10. Stopped work at the Marina and gave owner permit papers.
11. Fish and Game and KSN came out to inspect trees homeowner wanted removed. North Plymouth East.
12. Removed a lot of vegetation and pruned trees on North and South levee.
13. Removed a tulles, trash and wood from trees, North West levee.
14. Will go thru South West levee this month, lots to do.
15. Mr. and Mrs. Tom Rasmussen, 3188 Seagull, backyard is a mess.
16. KSN sent out an engineer to survey our staging area at the Marina, West gate to South West levee.
17. Ran off fishermen at the Weir.
18. Pulled out a tree log North West, Fourteen Mile. Thousand pound wench on truck could not to the job, used truck.
19. Will finish gravel in March.
20. R/L Construction left their man lift parked in front of our gate. Called, they remove it right away.

WAGNER SOUTH EASTERN UNIVERSITY LIBRARY

- 1. The first part of the book is devoted to a general survey of the history of the library.
- 2. The second part is devoted to a detailed description of the library's collection.
- 3. The third part is devoted to a description of the library's services.
- 4. The fourth part is devoted to a description of the library's administration.
- 5. The fifth part is devoted to a description of the library's future plans.
- 6. The sixth part is devoted to a description of the library's current projects.
- 7. The seventh part is devoted to a description of the library's current activities.
- 8. The eighth part is devoted to a description of the library's current achievements.
- 9. The ninth part is devoted to a description of the library's current challenges.
- 10. The tenth part is devoted to a description of the library's current opportunities.
- 11. The eleventh part is devoted to a description of the library's current goals.
- 12. The twelfth part is devoted to a description of the library's current vision.
- 13. The thirteenth part is devoted to a description of the library's current mission.
- 14. The fourteenth part is devoted to a description of the library's current values.
- 15. The fifteenth part is devoted to a description of the library's current principles.
- 16. The sixteenth part is devoted to a description of the library's current policies.
- 17. The seventeenth part is devoted to a description of the library's current procedures.
- 18. The eighteenth part is devoted to a description of the library's current standards.
- 19. The nineteenth part is devoted to a description of the library's current benchmarks.
- 20. The twentieth part is devoted to a description of the library's current indicators.

**RECLAMATION DISTRICT 1608
FINANCIAL REPORT MARCH 2, 2016, MEETING
% OF FISCAL YEAR ELAPSED THROUGH FEBRUARY 29, 2016 - 66.67%**

Budget Item	Budget Amount	Expended MTD	Expended YTD	% YTD
<u>Operations & Maintenance Expenses</u>				
Levee Superintendent (includes payroll taxes, auditor expenses)	\$60,000.00	\$3,570.53	\$37,163.95	61.94%
Fences & Gates	25,000.00	0.00	0.00	0.00%
Locks & Signs	2,000.00	0.00	1,471.77	73.59%
Weed and Rodent Control & Clean up	15,000.00	0.00	9,250.00	61.67%
Levee Repair Fund	125,000.00	43,034.12	109,830.59	87.86%
Pump System Maintenance	500.00	21.59	168.49	33.70%
Cellular Telephone (includes wireless computer services)	1,400.00	120.00	1,033.05	73.79%
Emergency Equipment & Supplies	1,000.00	0.00	120.00	12.00%
District Vehicle (Fuel, Maintenance and Repairs)	5,328.00	435.75	4,488.33	<u>84.24%</u>
Totals	<u>\$235,228.00</u>	<u>\$47,181.99</u>	<u>\$163,526.18</u>	69.52%
<u>General Expenses</u>				
Trustee Fees	\$6,000.00	\$300.00	\$3,000.00	50.00%
Secretary Fees	8,000.00	635.00	5,330.00	66.63%
Office Expenses (includes storage facility and pdf file conversion)	1,750.00	0.00	332.66	19.01%
Legal	55,000.00	3,763.53	28,400.26	51.64%
Auditing	3,000.00	2,950.00	2,950.00	98.33%
County Administration Costs	6,000.00	(2.00)	4,702.96	78.38%
Liability Insurance	8,200.00	0.00	6,738.00	82.17%
Workers Comp Insurance	8,000.00	1,220.34	4,697.77	58.72%
Automobile Insurance	2,000.00	0.00	1,387.00	69.35%
Election Costs	3,000.00	0.00	171.57	5.72%
Newsletters & Public Communications	9,000.00	223.13	2,846.84	<u>31.63%</u>
Totals	<u>\$109,950.00</u>	<u>\$9,090.00</u>	<u>\$60,557.06</u>	55.08%
<u>Engineering Expenses</u>				
General Engineering	\$80,000.00	\$19,934.28	\$89,606.49	112.01%
Miscellaneous Expenses (e.g. travel)	1,000.00	0.00	0.00	0.00%
Assessment Engineering	5,500.00	0.00	5,000.00	90.91%
Sediment Removal Project	0.00	0.00	0.00	<u>0.00%</u>
Totals	<u>\$86,500.00</u>	<u>\$19,934.28</u>	<u>\$94,606.49</u>	109.37%
<u>Shared District Expenses</u>				
RD 2119 Elmwood Tract	\$30,000.00	\$0.00	\$0.00	<u>0.00%</u>
Totals	<u>\$30,000.00</u>	<u>\$0.00</u>	<u>\$0.00</u>	0.00%
 Total Expense Budget	 \$461,678.00	 \$76,206.27	 \$318,689.73	 69.03%

Sediment Removal Project Amount Expended to Date: \$237,950.45

Part-Time Temporary Employees: \$2,777.83

Budget Item	Anticipated Income	Income MTD	Income YTD	%YTD
<u>Income</u>				
Property Taxes	\$200,000.00	\$214.53	\$107,370.76	53.69%
Interest Income	5,000.00	2,495.00	4,615.00	92.30%
Assessments	298,000.00	5,606.78	19,317.78	6.48%
Levee Subventions	70,428.00	0.00	0.00	0.00%
Totals	\$573,428.00	\$8,316.31	\$131,303.54	22.90%

Cash On Hand

Fund Balance as of July 1, 2015	\$1,865,932.82
Revenues (YTD), as of January 31, 2016	285,037.95
Expenses (YTD), as of January 31, 2016	285,095.29
TOTAL CASH	<u>\$1,865,875.48</u>

Cash On Hand (Exclusive of Reserves) **\$465,875.48**

Reserves

Capital Improvement Reserve	\$500,000.00
Board-designated reserve	\$900,000.00

Dr. Michael Panzer, Chairman
Drew Meyers, Trustee
Brett Tholborn, Trustee

**RECLAMATION DISTRICT NO. 1608
LINCOLN VILLAGE WEST
BOARD OF TRUSTEES MEETING
WEDNESDAY, MARCH 2, 2016
8:00 A.M.
ENGINEER'S REPORT**

Daniel J. Schroeder, Attorney
Jean L. Knight, Secretary
Christopher H. Neudeck, Engineer
Joe Bryson, Superintendent

I. PLAN REVIEW

A. Current permit requests from homeowners:

a. 3509 Stone River Circle

**Nathan and Nadia Davidson
(209) 993-1573 cell (209) 474-8163 home
Index No. 71 Lot 1217
Assessor's Parcel No. 100-020-06**

Review request and seek Board of Trustees approval to remove and replace existing rotted permitted fence/bulkhead and stairs.

KSN Inc. recommends approval of this application with the following condition(s):

1. The landowner must keep vegetation on the levee landside slope trimmed up to allow inspection of levee slopes at all times throughout the year.

EXHIBIT A: Davidson's Application for Approval of Plans and/or Encroachment Permit.

EXHIBIT B: Photograph's of the existing landside slope condition.

b. 6649 Embarcadero Drive

**Village West Marina
Claude Pellarin
(209) 951-1551 office (650) 303-4499 home**

Review and request Board of Trustees approval to modify parking lot on top of the District's levee along the marina frontage.

KSN Inc. recommends approval of this application with the following conditions:

1. No planting on top of the levee other than grass in the previously paved area along the western strip of

the parking lot, including in curbed planter strips at the south end of the new parking stalls at the up ramp form Embarcadero Drive.

2. Village West Marina must keep RD 1608's levee easement area south of the paved road at the entrance of the Southwest quadrant free of any trailers or stored materials to provide clear and free access to this section of the District's Levee.
3. Village West Marina must take into consideration when planning new bathroom shower facilities that RD 1608 will require 20 feet minimum setback from the waterside top of slope landward for any buildings on top of the levee.

EXHIBIT C: Village West Marina's Application for Approval of Plans and/or Encroachment Permit.

EXHIBIT D: Preliminary Site Plan and east drive aisle striping plan.

EXHIBIT E: Photograph's of the existing site condition.

**c. 6343 Embarcadero Drive
John & Kathryn Flanagan
(209) 608-4923 (o), (209) 609-9000
Index No 2 Lot 2108
APN 098-310-07**

Review request for construction of a removable wrought iron fence 5 foot high with 3 access gates at the levee toe.

KSN Inc. recommends approval of this application with the following condition(s):

1. The landowner must keep vegetation on the levee landside slope trimmed up to allow inspection of levee slopes at all times throughout the year.

EXHIBIT F: Flanagan's Application for Approval of Plans and/or Encroachment Permit.

EXHIBIT G: Photograph's of Flanagan's yard from Joe Bryson, District Superintendent.

B. Review the status of the Annual levee encroachments survey along all reaches of the District's levee.

II. FEMA MAPPING STATUS

A. Review ongoing status of preparation of the Letter of Map Revision (LOMR) application for District's response to FEMA regarding the mapping status of the District's levee system.

A

Index No. 71 Lot No. 1217

APPLICATION FOR APPROVAL OF PLANS AND/OR ENCROACHMENT PERMIT

1. Application to the Reclamation District 1608 for approval to Home owner - contractor to remove existing rotten fence + stairs AND install new Fence + stairs similar to existing Approved Structures.
BULKHEAD CHAN

2. Please check exhibits accompanying application.

- a. Location or vicinity map showing location of proposed work within the RD1608 area of responsibility, to permit visitation and inspection of work. Provide a marked-up copy of the RD1608 Boundary Map contained within the RD1608 Levee Encroachment Standards (Appendix E-1) to convey the appropriate location information (follow directions cited in Appendix E-1).
- b. A complete plan view and cross section of the proposed work, to scale, showing: dimensions; materials of construction and/or vegetative plantings; irrigation system; location of levee crown, toe and side slopes; relationship of the proposed work to the levee, adjacent home, RD1608 easement lines, and property lines; and any other notable feature within the lot.
- c. A cross section of the levee, berm, and stream area with dimensions and elevations of the levee crown, levee toes, floodplain, low water levee, etc., with reference to the U.S. Geological Survey, U.S. Corps of Engineers, or other datum generally used within the locale.
- d. Profiles of existing or proposed levees, fills, or other obstructions in the stream or overflow area with reference to the U.S. Geological Survey, U.S. Corps of Engineers, or other datum generally used within the locale.

3. Please Print or Type:

Name of Applicant

Address-Zip Code

Telephone Number

Nathan + NADIA DAVIDSON

3509 Stone River Cir 95219
Office 943-1573 Home 4748163

Signature

Nathan Davidson

Date

1-23-16

4. Endorsement

We, the Trustees of Reclamation District 1608 at its meeting held on the _____ day of _____, 20____, hereby

APPROVE and give consent to the execution of the encroachment permit subject to the following conditions:

Conditions listed on the back of this form

Additional attached conditions.

No conditions

Rev: 3-1-13

F:\03950\069\DistStds04.doc

751856-1

Mailed 1/22/16

Appendix A-1

DENY the application for the following reasons:

Date _____

Board of Trustees,
Reclamation District 1608

5. Name and address of owners of adjacent land parcels sharing a length of point of common boundary with the land upon which the contents of this application apply.

<u>Name</u>	<u>Address</u>	<u>Zip Code</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Conditions:

1. Comply with Reclamation District 1608 Levee Encroachment Standards.
2. Submit new application for any future encroachment within ten (10) feet of levee toe.

SEE ATTACHED ADDITIONAL CONDITIONS. IF BOX CHECKED ON FRONT PAGE

3. _____
4. _____
5. _____
6. _____
7. _____

Copied

January 7, 2016

Reclamation District 1608
509 W. Weber Ave. 5th floor
Stockton, Calif. 95203

Dear Sirs,

I am writing to get your approval on replacing my existing fence in my back yard. My address is 3509 Stone River Circle, in Reclamation District 1608.

I would like to keep the fence the same, but the old one is rotting out. I was planning to have it done this spring. I also need to replace the rotting steps which are a safety hazard the way they are. I know there was an original plan for this approved for the original owner, and I had a plan approved for some changes 15 years ago (or more).

Joe Bryson has approved this over the phone for me. I wanted to mail this in to be on record of my plans to replace the rotten wood.

Please let me know what you decide.

Thank You,

Nathan and Nadia Davidson

Mailed 1/7/16

B



2015.12.08 09:16

2015.12.08 09:20



C

Index No. _____ Lot No. _____

APPLICATION FOR APPROVAL OF PLANS AND/OR ENCROACHMENT PERMIT

1. Application to the Reclamation District 1608 for approval to MAKE MINOR
MODIFICATION TO ASPHALT SURFACE OF LEVEE AS
SHOWN ON PAGE A-1.1.0, ATTACHED HERE TO.

2. Please check exhibits accompanying application.

- a. Location or vicinity map showing location of proposed work within the RD1608 area of responsibility, to permit visitation and inspection of work. Provide a marked-up copy of the RD1608 Boundary Map contained within the RD1608 Levee Encroachment Standards (Appendix E-1) to convey the appropriate location information (follow directions cited in Appendix E-1).
- b. A complete plan view and cross section of the proposed work, to scale, showing: dimensions; materials of construction and/or vegetative plantings; irrigation system; location of levee crown, toe and side slopes; relationship of the proposed work to the levee, adjacent home, RD1608 easement lines, and property lines; and any other notable feature within the lot.
- c. A cross section of the levee, berm, and stream area with dimensions and elevations of the levee crown, levee toes, floodplain, low water levee, etc., with reference to the U.S. Geological Survey, U.S. Corps of Engineers, or other datum generally used within the locale.
- d. Profiles of existing or proposed levees, fills, or other obstructions in the stream or overflow area with reference to the U.S. Geological Survey, U.S. Corps of Engineers, or other datum generally used within the locale.

3. Please Print or Type:

Name of Applicant Address-Zip Code Telephone Number
VILLAGE WEST MARINA, LLC 6699 EMBARCADERO (209) 650
STOCKTON, CA Office 951-1551 Home 303-4499
 Signature *Claude Pellarin* Date 2-22-16
CLAUDE PELLARIN

4. Endorsement

We, the Trustees of Reclamation District 1608 at its meeting held on the _____ day of _____, 20____, hereby

APPROVE and give consent to the execution of the encroachment permit subject to the following conditions:

Conditions listed on the back of this form Additional attached conditions.

No conditions

DENY the application for the following reasons:

Date _____

Board of Trustees,
Reclamation District 1608

5. Name and address of owners of adjacent land parcels sharing a length of point of common boundary with the land upon which the contents of this application apply.

<u>Name</u>	<u>Address</u>	<u>Zip Code</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Conditions:

1. Comply with Reclamation District 1608 Levee Encroachment Standards.
2. Submit new application for any future encroachment within ten (10) feet of levee toe.

SEE ATTACHED ADDITIONAL CONDITIONS. IF BOX CHECKED ON FRONT PAGE

3. _____
4. _____
5. _____
6. _____
7. _____

D

Exhibit D:

Preliminary site plan and east drive aisle striping plan.

Site plan was too large to scan, please contact District Engineer at cneudeck@ksn.com.

E



02.22.2016 14:02




02.22.2016 14:04



02.22.2016 14:02



02.22.2016 14:04



02.22.2016 14:14



02.22.2016 14:05

F


Index No. 2 Lot No. 2100

APPLICATION FOR APPROVAL OF PLANS AND/OR ENCROACHMENT PERMIT

1. Application to the Reclamation District 1608 for approval to BUILD REMOVABLE ROOTIRON FENCE 5' HIGH WITH 3 ACCESS GATES. WOULD FOLLOW CURRENT RAILROAD TIE OUTLINE. EACH SECTION NO GREATER THAN 8 FT WILL BE SECURED WITH 18" DEEP POSTHOLE, WITH 3/4 INCH SQUARE STEEL TUBE INSIDE TO RECIEVE REMOVABLE POST - SEE DIAGRAM ON SIDE & BACK

2. Please check exhibits accompanying application.

- a. Location or vicinity map showing location of proposed work within the RD1608 area of responsibility, to permit visitation and inspection of work. Provide a marked-up copy of the RD1608 Boundary Map contained within the RD1608 Levee Encroachment Standards (Appendix E-1) to convey the appropriate location information (follow directions cited in Appendix E-1).
- b. A complete plan view and cross section of the proposed work, to scale, showing: dimensions; materials of construction and/or vegetative plantings; irrigation system; location of levee crown, toe and side slopes; relationship of the proposed work to the levee, adjacent home, RD1608 easement lines, and property lines; and any other notable feature within the lot.
- c. A cross section of the levee, berm, and stream area with dimensions and elevations of the levee crown, levee toes, floodplain, low water levee, etc., with reference to the U.S. Geological Survey, U.S. Corps of Engineers, or other datum generally used within the locale.
- d. Profiles of existing or proposed levees, fills, or other obstructions in the stream or overflow area with reference to the U.S. Geological Survey, U.S. Corps of Engineers, or other datum generally used within the locale.



3. Please Print or Type:

Name of Applicant John/Kathryn Flanagan Address-Zip Code 6343 Embury Circle Dr. Telephone Number 608.4923 609.9000
 Office 608.4923 Home 609.9000
 Signature [Handwritten Signature] Date _____

4. Endorsement

We, the Trustees of Reclamation District 1608 at its meeting held on the _____ day of _____, 20____, hereby

APPROVE and give consent to the execution of the encroachment permit subject to the following conditions:

- Conditions listed on the back of this form
- Additional attached conditions.
- No conditions

DENY the application for the following reasons:

Date _____

Board of Trustees,
Reclamation District 1608

5. Name and address of owners of adjacent land parcels sharing a length of point of common boundary with the land upon which the contents of this application apply.

<u>Name</u>	<u>Address</u>	<u>Zip Code</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Conditions:

1. Comply with Reclamation District 1608 Levee Encroachment Standards.
2. Submit new application for any future encroachment within ten (10) feet of levee toe.

SEE ATTACHED ADDITIONAL CONDITIONS. IF BOX CHECKED ON FRONT PAGE

3. _____
 4. _____
 5. _____
 6. _____
 7. _____
- _____

G









